JET LUX

A CHLORINE DIOXIDE (CIO₂) SPORICIDAL FOAM FOR THE DISINFECTION OF NON-POROUS SURFACES



following the red A and blue B indicators on the bottle label, insert the tubes into the respective bottle necks.





Apply at least 2 doses onto a wipe.



Wipe onto the surface.



1 minute. Apply additional solution as needed. Leave to **dry**.



PRE-USE CHECKS

Some important reminders before starting:

- Use disinfectants (product type 2) safely.
- Always read the label and product information before use.
- · Wear the appropriate personal protective equipment (PPE).
- JET LUX is for professional use only.
- Do not apply to brass, copper, aluminium, mild steel, or silver surfaces.
- Ensure the surface is free from heavy soiling before use.



Refer to the User Guide for full instructions.

BIG IMPACT

Your JET LUX trigger should be reused with the second JET LUX bottle. To do this, unfasten the levers clockwise to remove the trigger. Before following the assembly instructions above, give the dip tubes a rinse with tap water and dry with a paper towel. After use, empty JET LUX bottles and caps can be sent for recycling.

STORAGE CONDITIONS

JET LUX can be kept for 2 years before being used, and should be stored in a cool dry place, out of direct sunlight, between 10°C - 35°C.

Once opened, JET LUX has an in-use life of 6 months. You can track this by noting the day you opened JET LUX on the bottle label.









WE HAVE CHEMISTRY.